OTHER: _

The solution of the solution o

Research and development Production chemists and engineers Environmental professionals Technical librarians University professors Students

MAIN INDUSTRIES


Adhesives and sealants
Aerospace
Asphalt compounding
Automotive and motor vehicle
assembly
Rubber manufacturing and
processing
Plastics compounding and
processing

RELATED PUBLICATIONS

The Rubber Formulary

Handbook of Rubber Bonding

Reactive Processing of Polymers



HOW TO ORDER



Rubber Curing Systems

Author: R.N. Datta, Flexsys BV

Table of Contents

ISBN 1-85957-326-6

published: 2002, pages: 150, tables: 59, figures: 26

Price: US\$124 + S&H

Summary:

This is an excellent overview of a complex subject. Rubber curing systems vary both with the polymer type and the property requirements of a particular application. This review addresses these issues in detail, providing typical formulations and cure types for a number of specific uses.

The crosslinking of polymer molecules, also known as curing, is widely used to improve the physical properties of elastomeric materials. Sulfur was the first curing agent for natural rubber, it was used by Charles Goodyear in the 1840s. Since that time many new rubber types have been developed and many additional chemicals have been introduced as components of vulcanisation systems.

The rubber industry has developed a powerful armoury of curing agents, including sulphur sources, peroxides, metal oxides, amines, and phenolic resins. Choosing the correct curing system is vital to obtain a material with the best properties for a specific application. However, the pressure for safer and even more effective curing agents means that innovation remains at a premium. For example, ethylene thiourea, one of the most popular curing agents for chloroprene rubber, has come under suspicion as a carcinogen and teratogen.

This review discusses the different types of curing systems available today for different rubber types, including natural rubber, SBR, NBR, BR, IIR, CR, XIIR and EPDM. The uses of primary and secondary accelerators, prevulcanisation inhibitors (PVIs) and antireversion chemicals are outlined.

Typical rubber formulations for applications in industrial rubber products and tyres are given. Cure systems are described and compared with extensive tables of data on formulae and compound properties. Tyres contain many different rubber formulations with varying property requirements. This report examines the cure systems in use for each part of the tyre. Investigations have recently been reported on the functionalisation

of silica filler with curing agents for use in green tyres. Industrial rubber products such as conveyor belting are also discussed.

This review is accessible to anyone with a rudimentary knowledge of the polymer industry. The introduction briefly describes the terminology of curing, enabling the reader to gain full benefit from the detailed data in the rest of the text.

Contents

- 1 Introduction
- 1.1 Conventional Vulcanisation, Semi-Efficient Vulcanisation and Efficient Vulcanisation
- 1.2 Measuring Cure
- 1.3 Test Equipment and Conditions
- 2 Curing Systems
- 2.1 Sulfur Curing Systems
- 2.1.1 Accelerators
- 2.1.2 Sulfur Donors
- 2. Cures for Speciality Elastomers
- 2.2.1 Cure Systems for EPDM
- 2.2.2 Cure Systems for Nitrile Rubber
- 2.2.3 Cure Systems for Polychloroprene
- 2.2.4 Cure Systems for Butyl and Halobutyl Rubber
- 2.3 Peroxide Cure Systems
- 2.3.1 Peroxide Vulcanisation of EPDM
- 2.4 Sulfur Free Curing Systems
- 2.4.1 Phenolic Curatives, Benzoquinone Derivatives and Bismaleimides
- 2.4.2 Vulcanisation by Triazine Accelerators
- 2.4.3 Urethane Crosslinkers
- 2.4.4 Other Crosslinking Agents
- 2.5 New Developments
- 3 Some Practical Examples with Varying Cure Systems
- 3.1 Tyres
- 3.1.1 Tread
- 3.1.2 Tread Base or Sub Tread
- 3.1.3 Belts
- 3.1.4 Sidewall
- 3.1.5 Carcass
- 3.1.6 Bead
- 3.1.7 Apex
- 3.1.8 Cap-ply
- 3.1.9 Inner Liner
- 3.2 Industrial Rubber Products
- 3.2.1 Conveyor Belt Cover NR
- 3.2.2 Engine Mount NR
- 3.2.3 Tank Pad NR/SBR/BR Blend
- 3.2.4 Oil Seal NBR
- 4 Concluding Remarks

References

Abbreviations and Acronyms

Abstracts from the Polymer Library Database

Subject Index

About the Author

Dr Datta is a leading expert in the field of rubber chemicals and has worked

in both academia and industry. In 1990 he joined Akzo Nobel Rubber Chemicals as a research scientist and is currently Market Development Manager at Flexsys BV in the Netherlands. He also holds the post of Assistant Professor in the University of Twente. Dr Datta has an extensive publications list including over 75 technical papers and 30 patents.

BOOKS CD-ROM DATABASES MARKET REPORTS NEW BOOKS TOP 0

HELP YOUR SHOPPING CART BUY NOW

ChemTec Publishing Inc.

All Rights Reserved. Privacy Statement